

Esthetical and long-lasting landscape irrigation solution

HydroBloom PC - Pressure compensated cylindrical drip Line

- Precise and reliable water and fertilizer application along the hedge/flowerbed
- Ideal for sloping fields and long run-lengths
- Discrete colours (green or brown) to fit perfectly within landscape
- Long lasting installation (improved resistance to pedestrians, animals and insects attacks)




Esthetical and long-lasting landscape irrigation solution

Pressure compensated (PC)

What Does It Do: Within a relatively large pressure range, PC ensures the same flow per dripper regardless of what the pressure is at that point of the tube. So the dripper at lower elevation will emit the same amount of water as the dripperat the highest point.

Where To Use: Undulating ground and long run lengths.



Features:

- Highly accurate floating diaphragm maintains constant flow rate at variable inlet pressure
- Emitter highly resistant to clogging even in low flow rates due to:

 Double Large Inlet Filter, Large Cross Section Labyrinth, Two Water Outlets Holes
- 33 cm dripper spacing and 2,2 lph flow rate especially recommended for lanscape applications
- Heavy wall thickness (40 or 45mil) for long lasting installation



Benefits:

- Precise and reliable water and fertilizer application along the hedge/flowerbeds
- Ideal for sloping fields and long run-lengths
- Discrete colours (green or brown) to fit perfectly within landscape
- Long lasting installation (improved resistance to pedestrians, animals and insects attacks)



Applications:

- Multiseasonal / permanent landscape & garden applications
- Ornemental flowers, plants
- Over flat or sloping terrain
- On surface

Filtration:

- 130 micron for flow rates > 0,5 l/h
- Please consult with an irrigation specialist for filtration requirements for your specific application

Rivulis Triple-barb drip line connectors:

■ Why risk your irrigation system with inferior connectors? With 3 barbs on most models, Rivulis Drip Line Connectors provide ultimate sealing interface without the need of additional ratchet clamps – helping save both time and money during installation.

For a long lasting and reliable drip line installation, ask your representative the Rivulis barbed fittings (35-40-45-47 mil)



Case study outcomes are for information purposes only and actual results may vary. This literature has been compiled for worldwide circulation and the descriptions, photos, and information are for general purpose use only. Please consult with an irrigation specialist and technical specifications for proper use of Rivulis products. Because some products are not available in all regions, please contact your local dealer for details. Rivulis reserves the right to change specifications and the design of all products without notice. Every effort has been used to ensure that product information, including data sheets, schematics, manuals and brochures are correct. However information should be verified before making any decisions based on this information.

