



SIMOP flat tanks meet all rainwater requirements:

- · Storage, underground or above ground
- •Rainwater regulation
- · Recoveryand reuse of rainwater
- 3 in 1: Regulation, recovery and reuse

To facilitate installation, SIMOP 3 and 5^{m3} flat tanks are **pre-equipped** at the factory and delivered **ready to install**.

TANKS EXTRA FLAT



- Extra-flat: total height 1 m
- Twinned together
- Robust
- Lightweight
- Ready to install



STORE REGU-LATE RECOVER REUSE

O EQUIPMENT

The **SIMOP flat tank adapts to your needs** and can be equipped according to your requirements:

Réguleo°

The **Réguléo control system** manages rainwater as close as possible to the source. It **protects against flooding** and **regulates the flow of** heavy rainfall.

3 and **5** m³

AQUAMOP


The AQUAMOP solution provides immediate access to stored water. It includes a filtration system, a home manager or a pump.

Thanks to this equipments, it is possible to reuse rainwater forgarden watering washing exteriors and supplying the WC and washing machine (if chosen by the manager).




ONE TANK, 4 FUNCTIONS





























TWINNING

SIMOP's extra-flat tanks can be combined with each other. This makes it easy to obtain volumes of 6, 8, 10 m3 or more.

Example: combining a 5m3 recovery and reuse tank^{with} two storage tanks provides 15^{m3} of water for the WC, washing machine, garden watering...



STORAGE AND HANDLING



SIMOP extra-flat tanks can be stacked to optimize transport and storage.

Nb: For difficult access, the^{3m3} flat tank can be lifted by up to 4 people, thanks to handling handles. A 3.5 T mini-excavator will suffice to lift the 5m3 tank.



FIND ALL OUR PRODUCTS ON WWW.SIMOP.COM

10 RUE RICHEDOUX 50480 SAINTE-MÈRE-EGLISE FRANCE

simop@simop.fr TEL: +33 (0)2 33 95 88 00

FOLLOW US ON

